

Checklist of the birds of the Chiang Dao area				
L&R	Common name	Scientific name	Thai name	Remarks
15	Grey Heron	<i>Ardea cinerea</i>	นกกระสาขาว	Handful of records from rice paddies
17	Chinese Pond Heron	<i>Ardeola bacchus</i>	นกยางกรอกพันธุ์จีน	Common
19	Eastern Cattle Egret	<i>Bubulcus coromandus</i>	นกยางควาย	Relatively common rice paddies, following buffalo and cattle
22	Great Egret	<i>Casmerodius albus</i>	นกยางโทนใหญ่	Small numbers rice paddies
23	Intermediate Egret	<i>Mesophoyx intermedia</i>	นกยางโทนน้อย	Occasional rice paddies
24	Little Egret	<i>Egretta garzetta</i>	นกยางเป็ย	Small numbers rice paddies
25	Little Heron	<i>Butorides striata</i>	นกยางเขียว	Regular along stream behind Malee's and checkpoint road
27	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	นกแขวก	At least one record from rice paddies
29	Yellow Bittern	<i>Ixobrychus sinensis</i>	นกยางไฟหัวดำ	Occasional records from rice paddies and hot spring
31	Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	นกยางไฟธรรมดา	Odd records from rice paddies and hot springs
67	Lesser Whistling-duck	<i>Dendrocygna javanica</i>	เป็ดแดง	Small flock usually on lake from bridge along by-pass towards Fang
69	Black-shouldered Kite	<i>Elanus caeruleus</i>	เหยี่ยวขาว	Fairly common resident rice paddies
70	Black Kite	<i>Milvus migrans</i>	เหยี่ยวดำ	Scarce passage migrant, most records Oct/Nov
73	Black Baza	<i>Aviceda leuphotes</i>	เหยี่ยวกิ่งกาสีดำ	Probably present all year in small numbers, commonest Oct/Nov when migrating flocks south and again from late Feb when birds heading back north
74	Crested Goshawk	<i>Accipiter trivirgatus</i>	เหยี่ยวนกเขาหงอน	Relatively common around temple, distinctive display, quivering wings and fluffed out white undertail coverts
75	Northern Goshawk	<i>Accipiter gentilis</i>	เหยี่ยวนกเขาท้องขาว	Odd records from DYK and onece rice paddies
76	Eurasian Sparrowhawk	<i>Accipiter nisus</i>	เหยี่ยวนกกระจอกใหญ่	Odd records
77	Chinese Sparrowhawk	<i>Accipiter soloensis</i>	เหยี่ยวนกเขาพันธุ์จีน	Probably mainly a passage migrant, with large flocks south Sept/Oct
78	Shikra	<i>Accipiter badius</i>	เหยี่ยวนกเขาขีดรา	Common resident, males displaying from mid Feb when birds common
79	Besra	<i>Accipiter virgatus</i>	เหยี่ยวนกกระจอกเล็ก	Uncommon, most records from forest around temple
80	Japanese Sparrowhawk	<i>Accipiter gularis</i>	เหยี่ยวนกเขาพันธุ์ญี่ปุ่น	?
81	Oriental Honey-buzzard	<i>Pernis ptilorhynchus</i>	เหยี่ยวผึ้ง	Resident, some southerly passage autumn
82	Common Buzzard	<i>Buteo buteo</i>	เหยี่ยวทะเลทราย	Uncommon winter visitor
83	Rufous-winged Buzzard	<i>Butastur liventer</i>	เหยี่ยวปีกแดง	Regularly recorded from drier forest/scrub in area, best area scrub around paddie edge
84	Grey-faced Buzzard	<i>Butastur indicus</i>	เหยี่ยวหน้าเทา	Commonest Oct when flocks moving south, uncommon winter
90	Crested Serpent Eagle	<i>Spilornis cheela</i>	เหยี่ยวรุ้ง	Relatively common breeding resident, easy to see from late Jan-march when vocal birds displaying
91	Mountain Hawk Eagle	<i>Nisaetus nipalensis</i>	เหยี่ยวภูเขา	Most records from DYK
92	Changeable Hawk Eagle	<i>Nisaetus limnaeetus</i>	เหยี่ยวต่างสี	Regularly recorded over forest around temple, also noted DYK
95	Rufous-bellied Eagle	<i>Lophotriorchis kienerii</i>	เหยี่ยวท้องแดง	Several records from DYK but scarce
97	Booted Eagle	<i>Aquila pennata</i>	นกอินทรีเล็ก	Recorded at least once over forest around temple
98	Black Eagle	<i>Lophaetus malayensis</i>	นกอินทรีดำ	Scarce most records DYK
99	Greater Spotted Eagle	<i>Lophaetus clanga</i>	นกอินทรีปีกลาย	Handful of records all Oct, when migrants south
106	Eastern Marsh Harrier	<i>Circus spilonotus</i>	เหยี่ยวทุ่งพันธุ์เอเชียตะวันออก	Occasionally recorded rice paddies
108	Pied Harrier	<i>Circus melanoleucos</i>	เหยี่ยวต่างดำขาว	All records rice paddies, where perhaps commonest of the two harriers
109	White-rumped Falcon	<i>Polihierax insignis</i>	เหยี่ยวเล็กตะโพกขาว	One record from hot springs
110	Collared Falconet	<i>Microhierax caerulescens</i>	เหยี่ยวแมลงปอขาวแดง	Handful of records lower slopes of mountain and forest edge around temple
112	Common Kestrel	<i>Falco tinnunculus</i>	เหยี่ยวkestrel	Winter visitor in small numbers, regular rice paddies
113	Amur Falcon	<i>Falco amurensis</i>	เหยี่ยวดินแดง	All records in autumn, when flocks south during Oct
114	Eurasian Hobby	<i>Falco subbuteo</i>	เหยี่ยวฮอบบี้ยุโรป	Recorded at least once chasing hirundines over Chaing Dao

115	Oriental Hobby	<i>Falco severus</i>	เหยี่ยวฮอบบี้	Recorded infrequently, has bred in tall trees between Malee's and temple, also recorded DYK
116	Peregrine Falcon	<i>Falco peregrinus</i>	เหยี่ยวเพเรกริน	Possibly breeds in area, most regularly recorded autumn
119	Silver Pheasant	<i>Lophura nycthemera</i>	ไก่ฟ้าหลังขาว	Uncommon with records from both DYK and forest around temple
122	Red Junglefowl	<i>Gallus gallus</i>	ไก่ป่า	Fairly common in forest around temple, with bamboo along naturetrail perhaps best area
123	Hume's Pheasant	<i>Syrmaticus humiae</i>	ไก่ฟ้าหางลายขวาง	Uncommon resident, all records DYK where best areas firebreak trail and along entrance track at dawn
128	Rufous throated Partridge	<i>Arborophila rufogularis</i>	นกกระทาดงคอสีแสด	Odd records from higher parts of mountain
129	Bar-backed Partridge	<i>Arborophila brunneopectus</i>	นกกระทาดงอกสีน้ำตาล	Few records, most from DYK
131	Scaly-breasted Partridge	<i>Arborophila chloropus</i>	นกกระทาดงแข้งเขียว	Common around temple, best looked for along gully trail and nature trail
136	Mountain Bamboo Partridge	<i>Bambusicola fytchii</i>	นกกระทาป่าไผ่	Regularly recorded, best looked for around pond and stream DYK where birds often drinking/bathing
137	Chinese Francolin	<i>Francolinus pintadeanus</i>	นกกระทาทู่ง	Not uncommon in areas of scrub in the area, try first field on right after cave village when heading back into Chiang Dao, also recorded DYK
138	Japanese Quail	<i>Coturnix japonica</i>	นกคุ้มญี่ปุ่น	One record from rice paddies
142	Yellow-legged Buttonquail	<i>Turnix tanki</i>	นกคุ้มอืดใหญ่	Small number of records from rice paddies and scrub/forest edge
143	Barred Buttonquail	<i>Turnix suscitator</i>	นกคุ้มอกลาย	Commonest of the buttonquails, regularly noted paddies and forest edge
146	Red-legged Crake	<i>Rallina fasciata</i>	นกอี๊ดขั้นป่าขาแดง	Wet season visitor, several records from gully
152	Black-tailed Crake	<i>Porzana bicolor</i>	นกอี๊ดขั้นหางดำ	Rare resident, handful of records from pond and stream at DYK
154	White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	นกกรั้ว	Records from stream behind Malee's and Rice Paddies
155	Watercock	<i>Gallicrex cinerea</i>	นกอีลุ้ม	Odd records from rice paddies where breeds, perhaps wet season visitor
156	Common Moorhen	<i>Gallinula chloropus</i>	นกอีล้ำ	Small numbers on ponds, streams and wet paddies in area
160	Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	นกอีแจว	Single record from hot springs
163	Grey-headed Lapwing	<i>Vanellus cinereus</i>	นกกระแตหัวเทา	Fairly common winter visitor rice paddies, best look for on wet paddies
164	Red-wattled Lapwing	<i>Vanellus indicus</i>	นกกระแตแต้แว๊ด	Surprisingly uncommon, best looked for on arable land in area
168	Little Ringed Plover	<i>Charadrius dubius</i>	นกหัวโตเล็กขาเหลือง	Noted in small number rice paddies
175	Eurasian Curlew	<i>Numenius arquata</i>	นกอีโก้ใหญ่	Recorded at least once rice paddies
187	Green Sandpiper	<i>Tringa ochropus</i>	นกชายเลนเขียว	Occasional records rice paddies
188	Wood Sandpiper	<i>Tringa glareola</i>	นกชายเลนน้ำจืด	Small numbers in winter rice paddies
189	Common Sandpiper	<i>Actitis hypoleucos</i>	นกเต่าดิน	Small numbers in wintert rice paddies
206	Eurasian Woodcock	<i>Scolopax rusticola</i>	นกปากซ่อมดง	Odd winter records from DYK
208	Pintail Snipe	<i>Gallinago stenura</i>	นกปากซ่อมหางเข็ม	Regular recorded rice paddies
210	Common Snipe	<i>Gallinago gallinago</i>	นกปากซ่อมหางพัด	Regular recorded rice paddies
212	Greater Painted-snipe	<i>Rostratula benghalensis</i>	นกโป่งวิด	Odd records rice paddies
246	Pin-tailed Pigeon	<i>Treron apicauda</i>	นกเป่าหางเข็ม	Not uncommon around temple, especially late Feb/March when birds displaying and nest building
247	Yellow-vented Pigeon	<i>Treron seimundi</i>	นกเป่าหางเข็มหัวปีกแดง	?
248	Wedge-tailed Pigeon	<i>Treron sphenura</i>	นกเป่าหางพลั่ว	Regular at temple and DYK
250	Thick-billed Pigeon	<i>Treron curvirostra</i>	นกเขาเป่า	Common in fruiting trees around temple and DYK
261	Mountain Imperial Pigeon	<i>Ducula badia</i>	นกมูม	Heard and seen most days at temple and DYK, listen out for distinctive booming call
262	Rock Pigeon	<i>Columba livia</i>	นกพิราบป่า	Feral pigeon common Chiang Dao
263	Speckled Wood Pigeon	<i>Columba hodgsonii</i>	นกพิราบป่าอกลาย	Records from higher areas
264	Ashy Wood Pigeon	<i>Columba pulchricollis</i>	นกพิราบเขาสูง	Records from higher areas
266	Barred Cuckoo Dove	<i>Macropygia unchall</i>	นกเขาลายใหญ่	Odd records from rice paddies

267	Little Cuckoo Dove	<i>Macropygia ruficeps</i>	นกเขาลายเล็ก	Odd records from DYK
268	Oriental Turtle Dove	<i>Streptopelia orientalis</i>	นกเขาพม่า	Relatively common DYK and highest point of Checkpoint road
269	Red Collared Dove	<i>Streptopelia tranquebarica</i>	นกเขาไฟ	Small numbers occasionally encountered rice paddies
270	Spotted Dove	<i>Streptopelia chinensis</i>	นกเขาใหญ่, นกเขาหลวง	Common
271	Zebra Dove	<i>Geopelia striata</i>	นกเขาขาว	Small numbers Chiang Dao, increasing
272	Emerald Dove	<i>Chalcophaps indica</i>	นกเขาเขียว	Regular recorded along gully and fence trail, also on track to DYK
275	Red-breasted Parakeet	<i>Psittacula alexandri</i>	นกแขกเต้า	?
276	Blossom-headed Parakeet	<i>Psittacula roseata</i>	นกแก้วหัวแพร	?
277	Grey-headed Parakeet	<i>Psittacula finschii</i>	นกกะลิง	scarce, best area DYK, also recorded once at temple
279	Vernal Hanging Parrot	<i>Loriculus vernalis</i>	นกหกเล็กปากแดง	Very few records from temple and DYK
281	Chestnut-winged Cuckoo	<i>Clamator coromandus</i>	นกคัคคูหงอน	Uncommon wet season visitor
282	Large Hawk Cuckoo	<i>Hierococcyx sparverioides</i>	นกคัคคูเหยี่ยวใหญ่	Hard to see, more often heard than seen, DYK best area where not uncommon
285	Hodgson's Hawk Cuckoo	<i>Hierococcyx nisicolor</i>	นกคัคคูเหยี่ยวอกแดง	Probably a scarce resident, best areas temple and checkpoint road
286	Indian Cuckoo	<i>Cuculus micropterus</i>	นกคัคคูพันธุ์อินเดีย	Resident, listen out for singing birds from tall tree around garden, 'one more bottle'
288	Himalayan Cuckoo	<i>Cuculus saturatus</i>	นกคัคคูพันธุ์หิมาลัย	Returning birds from early March, tall trees in area probably best location
290	Banded Bay Cuckoo	<i>Cacomantis sonneratii</i>	นกคัคคูลาย	Very common resident, more often heard than seen
291	Plaintive Cuckoo	<i>Cacomantis merulinus</i>	นกอีวาบดักแตน	Common, more often heard than seen
293	Asian Emerald Cuckoo	<i>Chrysococcyx maculatus</i>	นกคัคคูมรกต	Best looked for calling from tall trees around garden and along checkpoint road, few winter records, more common from late Feb and March
294	Violet Cuckoo	<i>Chrysococcyx xanthorhynchus</i>	นกคัคคูสีม่วง	Common, frequently seen flying between tall trees around garden and along checkpoint road, listen for distinctive chi-vit call
296	Drongo Cuckoo	<i>Surniculus lugubris</i>	นกคัคคูแข่งแซว	Common resident, but unless calling difficult to observe, temple best area with birds calling from late Feb
297	Asian Koel	<i>Eudynamis scolopacea</i>	นกกาเหว่า	Common scrub around rice paddies and in town
300	Green-billed Malkoha	<i>Rhopodytes tristis</i>	นกบั้งรอกใหญ่	Fairly common
305	Greater Coucal	<i>Centropus sinensis</i>	นกกระปูดใหญ่	Very common in scrub around area, listen out for distinctive call morning and evening
306	Lesser Coucal	<i>Centropus bengalensis</i>	นกกระปูดเล็ก	Scarce, best area rice paddies
307	Barn Owl	<i>Tyto alba</i>	นกแสก	Recorded in town
308	Oriental Bay Owl	<i>Phodilus badius</i>	นกแสกแดง	Not uncommon around temple
309	Brown Boobook	<i>Ninox scutulata</i>	นกเค้าเหยี่ยว	Present around temple and along checkpoint road, check out telegraph poles at night
312	Mountain Scops Owl	<i>Otus spilocephalus</i>	นกเค้าภูเขา	Heard calling most evenings from garden, best looked for around temple and DYK
313	Oriental Scops Owl	<i>Otus sunia</i>	นกเค้าหูยาวเล็ก	Scarce odd records from forest around temple
314	Collared Scops Owl	<i>Otus lettia</i>	นกฮูก, นกเค้ากู่	Heard calling most nights, best looked for around temple
315	Collared Owlet	<i>Glaucidium brodiei</i>	นกเค้าแคระ	Common, can be heard calling from forest throughout the day
316	Asian Barred Owlet	<i>Glaucidium cuculoides</i>	นกเค้าโมง, นกเค้าแมว	Very common around resort and in most areas, listen out for distinctive call dawn and dusk, often flushed from day time roosts
317	Spotted Owlet	<i>Athene brama</i>	นกเค้าจูด	?
318	Spot-bellied Eagle Owl	<i>Bubo nipalensis</i>	นกเค้าใหญ่พันธุ์เนปาล	Regularly heard calling from Malee's best looked for roosting in tall trees between Malee's and wildlife HQ
321	Brown Fish Owl	<i>Ketupa zeylonensis</i>	นกทืดทือพันธุ์เหนือ	?
323	Brown Wood Owl	<i>Strix leptogrammica</i>	นกเค้าป่าสีน้ำตาล	Odd records from temple and checkpoint road
328	Hodgson's Frogmouth	<i>Batrachostomus hodgsoni</i>	นกปากกบลายตา	Scarce all records DYK
329	Javan Frogmouth	<i>Batrachostomus javensis</i>	นกปากกบพันธุ์ชวา	Common around temple and adjacent areas
332	Grey Nightjar	<i>Caprimulgus jotaka</i>	นกตบยุงภูเขา	Scarce odd records from forest edge around temple

333	Large-tailed Nightjar	<i>Caprimulgus macrurus</i>	นกตบยุงหางยาว	The commonest nightjar, frequently seen on track up to DYK just before dawn and easy to see and hear around Malee's from late Feb
334	Indian Nightjar	<i>Caprimulgus asiaticus</i>	นกตบยุงเล็ก	?
335	Savanna Nightjar	<i>Caprimulgus affinis</i>	นกตบยุงป่าโคก	?
340	Orange-breasted Trogon	<i>Harpactes oreskios</i>	นกขุนแผนอกสีส้ม	Often recorded from forest around temple
341	Red-headed Trogon	<i>Harpactes erythrocephalus</i>	นกขุนแผนหัวแดง	Probably more often reported than previous species, regularly recorded in forest around temple
345	Common Kingfisher	<i>Alcedo atthis</i>	นกกระเด็นน้อยธรรมดา	Common rice paddies and any streams in area
346	Blue-eared Kingfisher	<i>Alcedo meninting</i>	นกกระเด็นน้อยหลังสีน้ำเงิน	Odd records from forest streams in area, perhaps stream at checkpoint best area
348	Oriental Dwarf Kingfisher	<i>Ceyx erithaca</i>	นกกระเด็นน้อยหลังดำ	Odd records from temple area, most from gully, may be wet season visitor only
349	Banded Kingfisher	<i>Lacedo pulchella</i>	นกกระเด็นลาย	Occasional records from jungle around temple
352	Ruddy Kingfisher	<i>Halcyon coromanda</i>	นกกระเด็นแดง	Rare
353	White-throated Kingfisher	<i>Halcyon smyrnensis</i>	นกกระเด็นอกขาว	Common, open country bird, with returning migrants forest edge around temple from late Feb
354	Black-capped Kingfisher	<i>Halcyon pileata</i>	นกกระเด็นหัวดำ	Odd records from rice paddies
357	Chestnut headed Bee-eater	<i>Merops leschenaulti</i>	นกจามคาหัวสีส้ม	Relatively common, but few between mid Nov and early Feb, after when good numbers reappear
358	Blue-tailed Bee-eater	<i>Merops philippinus</i>	นกจามคาหัวเขียว	Probably only a wet season visitor/passage migrant, southerly passage regularly noted during Oct
359	Green Bee-eater	<i>Merops orientalis</i>	นกจามคาเล็ก	Common open country bird, especially in drier areas around paddies
360	Blue-throated Bee-eater	<i>Merops viridis</i>	นกจามคาคอสีฟ้า	Wet season visitor
362	Blue-bearded Bee-eater	<i>Nyctornis athertoni</i>	นกจามคาเคราน้ำเงิน	Records from all forested areas, pair usually along road between Malee's and temple
363	Indian Roller	<i>Coracias benghalensis</i>	นกตะขาบทุ่ง	Relatively common open country bird
364	Dollarbird	<i>Eurystomus orientalis</i>	นกตะขาบดง	Infrequently reported from DYK
365	Common Hoopoe	<i>Upupa epops</i>	นกกระรังหววน	Most records from pine forest around DYK
374	Oriental Pied Hornbill	<i>Anthracoceros albirostris</i>	นกแก๊ก, นกแกง	Only Hornbill in area, best looked for early morning/evening at temple/checkpoint
378	Great Barbet	<i>Megalaima virens</i>	นกตั้งล้อ	Common all areas, can even be heard from the garden, check flowering and fruiting tree for best views
379	Lineated Barbet	<i>Megalaima lineata</i>	นกโพระดกธรรมดา	Resident, best area around cave
384	Golden-throated Barbet	<i>Megalaima franklinii</i>	นกโพระดกคางเหลือง	Only records from DYK or higher
385	Blue-throated Barbet	<i>Megalaima asiatica</i>	นกโพระดกคอสีฟ้า	Very common all areas, most frequently observed barbet, often sings from tall trees around garden
388	Blue-eared Barbet	<i>Megalaima australis</i>	นกโพระดกหน้าผากดำ	Not uncommon around temple and checkpoint road
389	Coppersmith Barbet	<i>Megalaima haemacephala</i>	นกตีทอง	Regularly heard from garden
392	Eurasian Wryneck	<i>Jynx torquilla</i>	นกคอปัน	Occasional records from forest edge and rice paddies
393	Speckled Piculet	<i>Picumnus innominatus</i>	นกหัวขวานจิ๋วทองลาย	Regularly recorded temple and DYK often in mixed species feeding parties
394	White-browed Piculet	<i>Sasia ochracea</i>	นกหัวขวานจิ๋วขาว	Records from all areas, especially likes bamboo and secondary growth
397	Greater Flameback	<i>Chrysocolaptes lucidus</i>	นกหัวขวานสีนวลหลังทอง	Probably the commonest of the flamebacks, checkpoint road best area
398	Common Flameback	<i>Dinopium javanense</i>	นกหัวขวานสามนิ้วหลังทอง	Records from temple and checkpoint road
401	Bamboo Woodpecker	<i>Gecinulus viridis</i>	นกหัวขวานป่าไผ่	Regularly reported from forest around temple, bamboo at summit of naturetrail and along link trail best area
402	Laced Woodpecker	<i>Picus vittatus</i>	นกหัวขวานเขียวป่าไผ่	?
403	Streak-breasted Woodpecker	<i>Picus viridanus</i>	นกหัวขวานเขียวคอเขียว	?
404	Streak-throated Woodpecker	<i>Picus xanthopygaeus</i>	นกหัวขวานเขียวท้องลาย	?

405	Grey-headed Woodpecker	<i>Picus canus</i>	นกหัวขวานเขียวหัวดำ	Uncommon, records from both DYK, Temple and checkpoint road
406	Black-headed Woodpecker	<i>Picus erythropygius</i>	นกหัวขวานเขียวตะโพกแ	At least one record from area
407	Greater Yellownape	<i>Chrysophlegma flavinucha</i>	นกหัวขวานใหญ่หงอนเท	Regular records from temple and DYK
408	Lesser Yellownape	<i>Picus chlorolophus</i>	นกหัวขวานเล็กหงอนเท	Not uncommon DYK also recorded temple
412	Rufous Woodpecker	<i>Micropternus brachyurus</i>	นกหัวขวานสีตาล	Recorded DYK and temple not common, listen for distinctive drumming , which gradually slows down to a halt
414	Bay Woodpecker	<i>Blythipicus pyrrhotis</i>	นกหัวขวานแดงหลังลาย	Common all areas, especially around temple where more often heard then seen
415	Great Slaty Woodpecker	<i>Mulleripicus pulverulentus</i>	นกหัวขวานใหญ่สีเทา	Recorded several times along checkpoint road
416	White-bellied Woodpecker	<i>Dryocopus javensis</i>	นกหัวขวานใหญ่สีดำ	Rare, handful of records from checkpoint road
422	Crimson-breasted Woodpecker	<i>Dendrocopos cathpharius</i>	นกหัวขวานอกแดง	Reported once from higher areas of mountain
423	Rufous-bellied Woodpecker	<i>Dendrocopos hyperythrus</i>	นกหัวขวานด่างท้องน้ำตาล	Rare resident/wanderer, with handful of records from DYK
424	Stripe-breasted Woodpecker	<i>Dendrocopos atratus</i>	นกหัวขวานด่างหัวแดงอก	Fairly common higher altitudes especially DYK
427	Grey-capped Woodpecker	<i>Dendrocopos canicapillus</i>	นกหัวขวานด่างแคระ	Fairly common DYK, but also regularly reported from temple area, has nested in garden
428	Dusky Broadbill	<i>Corydon sumatranus</i>	นกพญาปากกว้างสีดำ	At least two records from forest along checkpoint road
430	Banded Broadbill	<i>Eurylaimus javanicus</i>	นกพญาปากกว้างลายเท	Recorded once from forest at DYK
432	Silver-breasted Broadbill	<i>Serilophus lunatus</i>	นกพญาปากกว้างอกสีเงิน	Regularly recorded from Temple, DYK and checkpoint road
433	Long-tailed Broadbill	<i>Psarisomus dalhousiae</i>	นกพญาปากกว้างหางยาว	Frequently reported with records from temple area, DYK and checkpoint road
435	Rusty-naped Pitta	<i>Pitta oatesi</i>	นกแต้วแล้วใหญ่หัวสีน้ำตาล	Scarce resident, records from temple and DYK, best areas start of naturetrail and gully
438	Blue-winged Pitta	<i>Pitta moluccensis</i>	นกแต้วแล้วธรรมดา	Wet season visitor
441	Hooded Pitta	<i>Pitta sordida</i>	นกแต้วแล้วอกเขียว	Recorded at least once during wet season on naturetrail, may be breeding visitor
443	Blue Pitta	<i>Pitta cyanea</i>	นกแต้วแล้วสีน้ำเงิน	Not uncommon, records from temple, track up to DYK and naturetrail
449	Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	นกแอ่นพันธุ์หิมาลัย	Very common, flocks of several hundred can be seen feeding high over garden, especially in the evening
451	Asian Palm Swift	<i>Cypsiurus balasiensis</i>	นกแอ่นตาล	Common in Chiang Dao town
453	Dark-rumped Swift	<i>Apus acuticauda</i>	นกแอ่นท้องลาย	Rare, at least two records from DYK/Summit
454	Pacific Swift	<i>Apus pacificus</i>	นกแอ่นตะโพกขาวหางแ	Regular over garden and DYK
455	House Swift	<i>Apus nipalensis</i>	นกแอ่นบ้าน	Common, regularly noted feeding over garden and forest, check out the nests at start of temple steps
458	Brown-backed Needletail	<i>Hirundapus giganteus</i>	นกแอ่นใหญ่หัวดาขาว	Present most days high over garden or nearby hills
459	Crested Treeswift	<i>Hemiprocne coronata</i>	นกแอ่นฟ้าหงอน	Common over garden, especially in evenings
464	Sand Martin	<i>Riparia riparia</i>	นกนางแอ่นทรายสร้อยคอ	Odd records
465	Dusky Crag Martin	<i>Ptyonoprocne concolor</i>	นกนางแอ่นผาสีคล้ำ	Handful of records, most from along checkpoint road, especially in evenings with other hirundines and swifts
466	Barn Swallow	<i>Hirundo rustica</i>	นกนางแอ่นบ้าน	Common winter visitor
468	Wire-tailed Swallow	<i>Hirundo smithii</i>	นกนางแอ่นหางลวด	Fairly common rice paddies, also nests under bridges along by-pass
469	Red-rumped Swallow	<i>Cecropis daurica</i>	นกนางแอ่นตะโพกแดง	Probably fairly common, but difficult to distinguish from next species unless good views
469	Striated Swallow	<i>Cecropis striolata</i>	นกนางแอ่นลาย	Probably not uncommon, but difficult to distinguish from previous species
470	Northern House Martin	<i>Delichon urbicum</i>	นกนางแอ่นมาตินพันธุ์ไช	One record rice paddies
471	Asian House Martin	<i>Delichon dasypus</i>	นกนางแอ่นมาตินพันธุ์เอ	Often recorded feeding higher over garden and other areas
473	Australasian Bushlark	<i>Mirafra javanica</i>	นกจาบฝนเสียงใส	Recorded at least once from agricultural land in area
474	Indochinese Bushlark	<i>Mirafra erythrocephala</i>	นกจาบฝนปีกแดง	One or two records from rice paddies and arable land in area
475	Oriental Skylark	<i>Alauda gulgula</i>	นกจาบฝนเสียงสวรรค์	Fairly common rice paddies
476	Olive-backed Pipit	<i>Anthus hodgsoni</i>	นกเต้าดินสวน	Common
477	Richard's Pipit	<i>Anthus richardi</i>	นกเต้าดินทุ่งใหญ่	Fairly common winter visitor rice paddies

477	Paddyfield Pipit	<i>Anthus rufulus</i>	นกเด้าดินทุ่งเล็ก	Small numbers usually present rice paddies
478	Red-throated Pipit	<i>Anthus cervinus</i>	นกเด้าดินอกแดง	fairly common during winter on wet paddies
479	Rosy Pipit	<i>Anthus roseatus</i>	นกเด้าดินอกสีชมพู	At least one record rice paddies
480	White Wagtail	<i>Motacilla alba</i>	นกอุ้มบาตร	Common Rice paddies
481	Grey Wagtail	<i>Motacilla cinerea</i>	นกเด้าลมหลังเทา	Common on streams around area
482	Yellow Wagtail	<i>Motacilla flava</i>	นกเด้าลมเหลือง	Small numbers occasionally reported from rice paddies
483	Citrine Wagtail	<i>Motacilla citreola</i>	นกเด้าลมหัวเหลือง	Handful of records from rice paddies
484	Forest Wagtail	<i>Dendronanthus indicus</i>	นกเด้าลมดง	Odd records during migration periods
486	Bar-winged Flycatcher-shrike	<i>Hemipus picatus</i>	นกเขนน้อยปีกแถบขาว	Common in small parties most forested areas
488	Large Woodshrike	<i>Tephrodornis gularis</i>	นกเขียวดงหางสีน้ำตาล	Recorded from temple area and DYK where frequently recorded in pine forest
489	Common Woodshrike	<i>Tephrodornis pondicerianus</i>	นกเขียวดงธรรมดา	Very few records from forest at lower altitudes
490	Large Cuckooshrike	<i>Coracina macei</i>	นกขี้เถ้าใหญ่	Most records from DYK where not uncommon
492	Indochinese Cuckooshrike	<i>Coracina polioptera</i>	นกเขียวขี้เถ้า	Regular around temple
493	Black-winged Cuckooshrike	<i>Coracina melaschistos</i>	นกเขียวขี้เถ้าใหญ่	Often reported from around temple and DYK
495	Ashy Minivet	<i>Pericrocotus divaricatus</i>	นกพญาไฟสีเทา	Most records from temple, where common Oct/Nov
496	Rosy Minivet	<i>Pericrocotus roseus</i>	นกพญาไฟสีกุหลาบ	Scarce lower slopes of mountain
496	Brown-rumped Minivet	<i>Pericrocotus cantonensis</i>	นกพญาไฟตะโพกสีน้ำตาล	Uncommon, few records from temple
497	Small Minivet	<i>Pericrocotus cinnamomeus</i>	นกพญาไฟเล็ก	Small number of records from checkpoint road
499	Grey-chinned Minivet	<i>Pericrocotus solaris</i>	นกพญาไฟคอเทา	Common DYK and higher areas of forest road
500	Short-billed Minivet	<i>Pericrocotus brevirostris</i>	นกพญาไฟแม่สะเรียง	Uncommon DYK
501	Long-tailed Minivet	<i>Pericrocotus ethologus</i>	นกพญาไฟพันธุ์เหนือ	Fairly common DYK, also recorded from high areas of forest around temple and along checkpoint road
502	Scarlet Minivet	<i>Pericrocotus speciosus</i>	นกพญาไฟใหญ่	The commonest minivet, records from all areas
504	Common lora	<i>Aegithina tiphia</i>	นกขมิ้นน้อยธรรมดา	Common, all areas, often recorded in garden
505	Great lora	<i>Aegithina lafresnayei</i>	นกขมิ้นน้อยปีกสีเขียว	Fairly common around temple, often in mixed species flocks
508	Golden-fronted Leafbird	<i>Chloropsis aurifrons</i>	นกเขียวก้านดอหงษ์หน้าผาก	Common in area
509	Blue-winged Leafbird	<i>Chloropsis cochinchinensis</i>	นกเขียวก้านดอหงษ์ปีกฟ้า	Common around temple
510	Orange-bellied Leafbird	<i>Chloropsis hardwickii</i>	นกเขียวก้านดอหงษ์ท้องส้ม	Commonest at DYK, but also recorded temple and checkpoint road
511	Crested Finchbill	<i>Spizixos canifrons</i>	นกปรอดหงอนปากหนา	Very few records from DYK or higher, probably under recorded at higher elevations
513	Striated Bulbul	<i>Pycnonotus striatus</i>	นกปรอดลาย	Scarce a few records from DYK and higher
514	Black-headed Bulbul	<i>Pycnonotus atriceps</i>	นกปรอดทอง	Common, especially in drier areas Feb/March
515	Black-crested Bulbul	<i>Pycnonotus flaviventris</i>	นกปรอดเหลืองหัวจุก	Common
519	Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	นกปรอดหัวโขน	Common
520	Brown-breasted Bulbul	<i>Pycnonotus xanthorrhous</i>	นกปรอดหัวโขนก้นเหลือง	Scarce handful of records from DYK and higher
521	Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	นกปรอดหัวสีเขม่า	Very common
523	Stripe-throated Bulbul	<i>Pycnonotus finlaysoni</i>	นกปรอดคอลาย	Small numbers usually present temple/garden
524	Flavescent Bulbul	<i>Pycnonotus flavescens</i>	นกปรอดหัวตาขาว	Common DYK and higher parts of checkpoint road
527	Streak-eared Bulbul	<i>Pycnonotus blanfordi</i>	นกปรอดสวน	Commonest bulbul in Thailand, common around garden and rice paddies
532	Puff-throated Bulbul	<i>Alophoixus pallidus</i>	นกปรอดโองเมืองเหนือ	Pairs or small groups common in forest in area
539	Grey-eyed Bulbul	<i>Iole propinqua</i>	นกปรอดเล็กตาขาว	Very common, especially around temple
541	Mountain Bulbul	<i>Ixos mcclllandii</i>	นกปรอดภูเขา	All records from DYK or higher, where fairly common
543	Ashy Bulbul	<i>Hemixos flavala</i>	นกปรอดสีขี้เถ้า	large flocks frequently recorded from forest around temple and DYK
544	Black Bulbul	<i>Hypsipetes leucocephalus</i>	นกปรอดดำ	Common, often large flocks in winter
545	White-headed Bulbul	<i>Cerasophila thompsoni</i>	นกปรอดเทาหัวขาว	Regularly recorded temple, DYK and checkpoint road, likes flowering trees

546	Black Drongo	<i>Dicrurus macrocercus</i>	นกแขงแขวหางปลา	Common only in rice paddies
547	Ashy Drongo	<i>Dicrurus leucophaeus</i>	นกแขงแขวสีเทา	Common
548	Crow-billed Drongo	<i>Dicrurus annectans</i>	นกแขงแขวปากกา	Probably uncommon passage migrant
549	Bronzed Drongo	<i>Dicrurus aeneus</i>	นกแขงแขวเล็กเหลือบ	Common
550	Lesser Racket-tailed Drongo	<i>Dicrurus remifer</i>	นกแขงแขวหางบ่วงเล็ก	Not uncommon, records from temple, checkpoint road and DYK, often in mixed species feeding parties
551	Hair-crested Drongo	<i>Dicrurus hottentottus</i>	นกแขงแขวหงอนขน	Common, best looked for in flowering trees
552	Greater Racket-tailed Drong	<i>Dicrurus paradiseus</i>	นกแขงแขวหางบ่วงใหญ่	Common
554	Black-naped Oriole	<i>Oriolus chinensis</i>	นกขมิ้นท้ายทอยดำ	Common winter, best looked for tall trees around temple
555	Slender-billed Oriole	<i>Oriolus tenuirostris</i>	นกขมิ้นปากเรียว	Relatively common DYK during cool season, may breed here
556	Black-hooded Oriole	<i>Oriolus xanthornus</i>	นกขมิ้นหัวดำใหญ่	Very common and vocal around temple and tall trees around garden
557	Maroon Oriole	<i>Oriolus traillii</i>	นกขมิ้นแดง	Common DYK, also frequently recorded temple area and checkpoint road
559	Asian Fairy Bluebird	<i>Irena puella</i>	นกเขี้ยวคราม	Common especially around temple
561	Eurasian Jay	<i>Garrulus glandarius</i>	นกปีกลายสก๊อต	Records from all forested areas, commonest DYK
563	Green Magpie	<i>Cissa chinensis</i>	นกสาลิกาเขียว	Regular around temple, often associates with necklaced laughingthrush and white-hooded Babblers, Naturetrail best area
564	Blue Magpie	<i>Urocissa erythrorhyncha</i>	นกขุนแผน	Handful of records around temple and scrub in area
565	Rufous Treepie	<i>Dendrocitta vagabunda</i>	นกกะลิงเขียด	Odd records from low down along checkpoint road
566	Grey Treepie	<i>Dendrocitta formosae</i>	นกกะลิงเขียดสีเทา	Common DYK, also recorded temple and checkpoint road
567	Racket-tailed Treepie	<i>Crypsirina temia</i>	นกกาแวน	Odd records from scrub around rice paddies
569	Large-billed Crow	<i>Corvus macrorhynchos</i>	อีกา	Regular around Chiang Dao town and cave entrance
572	Fire-capped Tit	<i>Cephalopyrus flammiceps</i>	นกตี๊ดหน้าแดง	Recorded at least once along checkpoint road
573	Yellow-browed Tit	<i>Sylviparus modestus</i>	นกตี๊ดคิ้วเหลือง	?
574	Grey Tit	<i>Parus cinereus</i>	นกตี๊ดใหญ่	Common pines DYK and higher areas of checkpoint road
575	Yellow-cheeked Tit	<i>Parus spilonotus</i>	นกตี๊ดแก้มเหลือง	Regularly recorded DYK and occasionally along higher parts of checkpoint
576	Sultan Tit	<i>Melanochlora sultanea</i>	นกตี๊ดสูลต่าน	Fairly frequently recorded temple area, especially around temple car park and naturetrail, also regular along checkpoint road
577	Chestnut-vented Nuthatch	<i>Sitta nagaensis</i>	นกไต่ไม้โตโคนหางสีน้ำตาล	Fairly common DYK and higher parts of checkpoint road
579	Velvet fronted Nuthatch	<i>Sitta frontalis</i>	นกไต่ไม้หน้าผากกำมะหยี่	Commonest nuthatch, even regularly recorded in the garden
580	Giant Nuthatch	<i>Sitta magna</i>	นกไต่ไม้ใหญ่	Not uncommon DYK , best looked for between checkpoint and DYK sub station in mixed pine/thai oak forest
581	Brown-throated Treecreeper	<i>Certhia manipurensis</i>	นกเปลือกไม้	Few records from DYK
583	Puff-throated Babbler	<i>Pellorneum ruficeps</i>	นกจาบดินอกลาย	Common, small groups often recorded in garden, along roadside and temple feeding on ground confiding
586	Buff-breasted Babbler	<i>Pellorneum tickelli</i>	นกกินแมลงปากอกสีน้ำตาล	Fairly common in forest around temple, especially gully, but also frequently recorded from temple steps
596	Large Scimitar Babbler	<i>Pomatorhinus hypoleucos</i>	นกกระวังไพรปากยาว	Occasional records DYK
597	Rusty-cheeked Scimitar Bab	<i>Pomatorhinus erythrogyne</i>	นกกระวังไพรแก้มสีน้ำตาล	Pairs not uncommon DYK, firebreak trail excellent area
598	White-browed Scimitar Babb	<i>Pomatorhinus schisticeps</i>	นกกระวังไพรปากเหลือง	Not uncommon DYK and forest around temple and checkpoint road
599	Red-billed Scimitar Babbler	<i>Pomatorhinus ochraceiceps</i>	นกกระวังไพรปากแดงยาว	Handful of records DYK and checkpoint road
604	Streaked Wren Babbler	<i>Napothera brevicaudata</i>	นกจู้เต็นหางสั้น	Pair usually present on limestone along temple steps, also regular naturetrail and gully
605	Eyebrowed Wren Babbler	<i>Napothera epilepidota</i>	นกจู้เต็นคิ้วยาว	Recorded gully, naturetrail and damper areas DYK
606	Pygmy Wren Babbler	<i>Pnoepyga pusilla</i>	นกจู้เต็นจิว	Records from damp gullies DYK and especially lower down around temple along gully and naturetrail

607	Deignan's Babbler	<i>Stachyridopsis rodolpheii</i>	นกกินแมลงเด็กแนน	Taxon uncertain probably best looked ofr DYK, more research needed
608	Rufous-fronted Babbler	<i>Stachyridopsis rufifrons</i>	นกกินแมลงหน้าผากน้ำตาล	Fairly common, small flock often in grass along road to temple, associates with Rufescent Prinia
609	Golden Babbler	<i>Stachyridopsis chrysaesa</i>	นกกินแมลงหัวสีทอง	Small numbers reported DYK, probably commoner higher areas of mountain
610	Grey-throated Babbler	<i>Stachyris nigriceps</i>	นกกินแมลงคอเทา	Small numbers regular temple , DYK etc
612	Spot-necked Babbler	<i>Stachyris striolata</i>	นกกินแมลงคอลาย	Recorded at least once DYK
617	Striped Tit Babbler	<i>Macronus gularis</i>	นกกินแมลงอกเหลือง	Very common especially around temple
619	Chestnut-capped Babbler	<i>Timalia pileata</i>	นกกินแมลงกระหม่อมแดง	Odd records from overgrown fields in area
620	Yellow-eyed Babbler	<i>Chrysomma sinense</i>	นกกินแมลงตาเหลือง	Small flocks occasionally recorded from grassy fields in area
621	White-crested Laughingthrush	<i>Garrulax leucolophus</i>	นกกระรางหัวหงอก	Uncommon, recorded temple and track upto DYK
622	Lesser Necklaced Laughingthrush	<i>Garrulax monileger</i>	นกกระรางสร้อยคอเล็ก	Often noted around temple, frequently in mixed flock with next species
623	Greater Necklaced Laughingthrush	<i>Garrulax pectoralis</i>	นกกระรางสร้อยคอใหญ่	Regular flocks noted around temple, also recorded along checkpoint road and DYK
624	White-necked Laughingthrush	<i>Garrulax strepitans</i>	นกกระรางอกสีน้ำตาลไหม้	Often recorded DYK
625	Black-throated Laughingthrush	<i>Dryonastes chinensis</i>	นกกระรางคอดำ, นกชอฮู้	Regular around temple, also noted checkpoint road and DYK
626	Spot-breasted Laughingthrush	<i>Stactocichla merulina</i>	นกกระรางอกลาย	Recorded at least once from summit trail from DYK
627	White-browed Laughingthrush	<i>Pterorhinus sannio</i>	นกกระรางคิ้วขาว	A few records from summit trail leading from DYK
628	Chestnut-crowned Laughingthrush	<i>Trochalopteron melanostig</i>	นกกระรางหัวแดง	Odd records from higher parts of mountain
631	Rufous-winged Fulvetta	<i>Pseudominla castaneiceps</i>	นกม่นรทหัวน้ำตาลแดง	A few records from higher altitudes
634	Brown-cheeked Fulvetta	<i>Alcippe poioicephala</i>	นกม่นรทตาขาว	Common around temple and lower altitude forest
636	Grey-cheeked Fulvetta	<i>Alcippe fratercula</i>	นกม่นรทตาแดง	Common DYK and higher
637	Striated Yuhina	<i>Staphida castaniceps</i>	นกภูหงอนหัวน้ำตาลแดง	Often recorded temple, DYK and checkpoint road, usually in single species flocks
640	White-bellied Erpornis	<i>Erpornis zantholeuca</i>	นกภูหงอนท้องขาว	Fairly frequent in mixed feeding flocks temple, DYK and checkpoint road
641	Chestnut-fronted Shrike Babbler	<i>Pteruthius aenobarbus</i>	นกเสื่อแมลงหน้าสีตาล	Small numbers reported fairly regularly DYK
642	Black-eared Shrike Babbler	<i>Pteruthius melanotis</i>	นกเสื่อแมลงคอสีตาล	Rare DYK/higher parts of summit trail
643	White-browed Shrike Babbler	<i>Pteruthius flaviscap</i>	นกเสื่อแมลงปีกแดง	Common DYK and higher parts of checkpoint road
644	Blue-winged Minla	<i>Siva cyanouroptera</i>	นกคิ้วปีกสีฟ้า	Regularly recorded DYK
645	Chestnut-tailed Minla	<i>Chrysominla strigula</i>	นกคิ้วหางสีตาล	?
647	Silver-eared Mesia	<i>Leiothrix argentauris</i>	นกกระรอกทองแก้มขาว	Small numbers regularly recorded DYK
648	Collared Babbler	<i>Gampsorhynchus torquatus</i>	นกเสื่อแมลงหัวขาว	Regularly recorded around temple especially gully and naturetrail (formerly known as white-hooded babbler)
649	Spectacled Barwing	<i>Actinodura ramsayi</i>	นกปีกลายตาขาว	A few records from higher parts of mountain, probably under recorded
650	Rufous-backed Sibia	<i>Leioptila annectans</i>	นกหางรำหลังแดง	Very few records all from DYK, probably under recorded at higher altitudes
651	Dark-backed Sibia	<i>Malacias melanoleucus</i>	นกหางรำดำ	All records from DYK or higher, uncommon but probably under recorded
652	Long-tailed Sibia	<i>Heterophasia picaoides</i>	นกหางรำหางยาว	Very few records DYK and at least once from temple
655	Black-throated Parrotbill	<i>Paradoxornis nipalensis</i>	นกปากนกแก้วหูเทา	Scarce one or two records from bamboo DYK
657	Black-browed Parrotbill	<i>Paradoxornis atrosupercillia</i>	นกปากนกแก้วคิ้วดำ	Very few records, reported once or twice DYK
658	Grey-headed Parrotbill	<i>Paradoxornis gularis</i>	นกปากนกแก้วหัวเทา	Regularly recorded DYK, often in large flocks
661	Grey-crowned Warbler	<i>Seicercus tephrocephalus</i>	นกกระจ๊อยวงตาสีทองหัว	Common in grass and scrub around temple, calls with a double cricket type call
661	Omei Spectacled Warbler	<i>Seicercus omeiensis</i>	นกกระจ๊อยวงตาสีทองพัน	Fairly common, usually found in mixed feeding flocks in forest, call with a chip
661	Bianchi's Warbler	<i>Seicercus valentini</i>	นกกระจ๊อยวงตาสีทองแดง	Regularly noted DYK, calls with a tueue
663	Chestnut-crowned Warbler	<i>Seicercus castaniceps</i>	นกกระจ๊อยกระหม่อมแดง	Odd records from higher parts of mountain
664	Yellow-bellied Warbler	<i>Abroscopus superciliaris</i>	นกกระจ๊อยคอขาว	Common in bamboo
665	Rufous-faced Warbler	<i>Abroscopus albogularis</i>	นกกระจ๊อยคอดำ	One record from summit trail
666	Buff-throated Warbler	<i>Phylloscopus subaffinis</i>	นกกระจัดท้องสีน้ำตาล	Uncommon but recorded regularly DYK, pines around campsite best areas

667	Dusky Warbler	<i>Phylloscopus fuscatus</i>	นกกระจัดสีคล้ำ	Common rice paddies
668	Yellow-streaked Warbler	<i>Phylloscopus armandii</i>	นกกระจัดอกลายเหลือง	Uncommon, apparently regular along roadside to temple
669	Radde's Warbler	<i>Phylloscopus schwarzi</i>	นกกระจัดปากหนา	Fairly common, best looked for in grass and scrub along roadside to temple and checkpoint
670	Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	นกกระจัดขาสีเนื้อ	Scarce, most records from around temple
671	Arctic Warbler	<i>Phylloscopus borealis</i>	นกกระจัดขั้วโลกเหนือ	Passage migrant most records Sept/Oct
672	Greenish Warbler	<i>Phylloscopus trochiloides</i>	นกกระจัดเขียวคล้ำ	Two-barred Warbler common in area, Greenish more frequently recorded DYK but also temple
673	Greenish Warbler	<i>Phylloscopus trochiloides</i>	นกกระจัดเขียวปีกสองแถบ	Two-barred Warbler common in area, Greenish more frequently recorded DYK but also temple
674	Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>	นกกระจัดหัวมงกุฏ	Migrant, most records Sept/Oct
675	Blyth's Leaf Warbler	<i>Phylloscopus reguloides</i>	นกกระจัดหางขาวใหญ่	Common winter visitor, often part of mixed feeding flocks, behaves like a nuthatch or black and white warbler
676	Davison's Leaf-Warbler	<i>Phylloscopus davisoni</i>	นกกระจัดหางขาวเล็ก	Common DYK
677	Yellow-vented Warbler	<i>Phylloscopus cantator</i>	นกกระจัดคิ้วดำท้องขาว	At least one record, from summit trail
678	Sulphur-breasted Warbler	<i>Phylloscopus ricketti</i>	นกกระจัดคิ้วดำท้องเหลือง	Scarce winter visitor, records from DYK and around temple
679	Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	นกกระจัดธรรมดา	Common
679	Hume's Leaf Warbler	<i>Phylloscopus humei</i>	นกกระจัดพันธุ์หิมาลัย	Odd records from DYK or higher
680	Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	นกกระจัดตะโพกเหลืองคิ้ว	Odd records DYK
682	Orange-barred Leaf Warbler	<i>Phylloscopus pulcher</i>	นกกระจัดแถบปีกสีส้ม	Odd records DYK
683	Thick-billed Warbler	<i>Phragmaticola aedon</i>	นกพงปากหนา	Regularly recorded, best looked for in grass and scrub between Malee's and temple
686	Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	นกพงคิ้วดำ	One record from pond at DYK
689	Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	นกพงตักแดนท้ายทอยสี	Slightly more records than previous species rice paddies
690	Lanceolated Warbler	<i>Locustella lanceolata</i>	นกพงตักแดนอกลาย	Odd records from rice paddies
693	Zitting Cisticola	<i>Cisticola juncidis</i>	นกยอดข้าวหางแพนลาย	Common rice paddies
695	Grey-breasted Prinia	<i>Prinia hodgsonii</i>	นกกระจับหญ้าอกเทา	Usually small flock in grass between temple and Malee's
696	Rufescent Prinia	<i>Prinia rufescens</i>	นกกระจับหญ้าสีข้างแดง	Common grass and scrub forest edge and undergrowth DYK
697	Yellow-bellied Prinia	<i>Prinia flaviventris</i>	นกกระจับหญ้าท้องเหลือง	?
698	Plain Prinia	<i>Prinia inornata</i>	นกกระจับหญ้าสีเขียว	Common rice paddies
700	Hill Prinia	<i>Prinia superciliaris</i>	นกกระจับหญ้าคิ้วขาว	Fairly common DYK and higher parts of checkpoint road
701	Common Tailorbird	<i>Orthotomus sutorius</i>	นกกระจับธรรมดา	Common
702	Dark-necked Tailorbird	<i>Orthotomus atrogularis</i>	นกกระจับคอดำ	Common
705	Mountain Tailorbird	<i>Orthotomus cucullatus</i>	นกกระจับภูเขา	Odd records from DYK or higher
706	Grey-bellied Tesia	<i>Tesia cyaniventer</i>	นกจันจู่ท้องเทา	Status uncertain, handful of records from temple gully
707	Slaty-bellied Tesia	<i>Tesia olivea</i>	นกจันจู่ท้องเทาดำ	Odd records gully trail and higher areas of mountain
708	Chestnut-headed Tesia	<i>Tesia castaneocoronata</i>	นกจันจู่หัวสีตาล	All records from higher parts of mountain
709	Asian Stubtail	<i>Urosphena squameiceps</i>	นกกระจ้อยหัวลาย	Regularly recorded, best areas naturetrail and temple gully
710	Pale-footed Bush Warbler	<i>Cettia pallidipes</i>	นกกระจ้อยสีไพล	?
711	Manchurian Bush Warbler	<i>Cettia canturians</i>	นกกระจ้อยนกร่อง	?
713	Sunda Bush Warbler	<i>Cettia vulcania</i>	นกกระจ้อยเหลืองไพล	?
714	Baikal Bush Warbler	<i>Bradypterus davidi</i>	นกกระจ้อยอกเทา	?
715	Chinese Bush Warbler	<i>Bradypterus tacsanowskii</i>	นกกระจ้อยพันธุ์จีน	?
716	Brown Bush Warbler	<i>Bradypterus luteoventris</i>	นกกระจ้อยสีน้ำตาล	At least one record DYK
717	Russet Bush Warbler	<i>Bradypterus mandelli</i>	นกกระจ้อยเขาสูง	Odd records DYK

718	Lesser Shortwing	<i>Brachypteryx leucophrys</i>	นกปีกสั้นเล็ก	Odd records from gully trail and higher parts of mountain
719	White-browed Shortwing	<i>Brachypteryx montana</i>	นกปีกสั้นสีน้ำเงิน	Recorded in gullies around temple and higher areas of mountain
721	Rufous-tailed Robin	<i>Luscinia sibilans</i>	นกเขนน้อยหางแดง	One record from gully behind monks workshop at temple
722	Siberian Rubythroat	<i>Luscinia calliope</i>	นกคอทับทิม	Common but secretive winter visitor, best looked for dawn/dusk along edges of weedy fields and scrubby areas.
724	Bluethroat	<i>Luscinia svecica</i>	นกคออมรด	Winter visitor, best area rice paddies
726	Siberian Blue Robin	<i>Luscinia cyane</i>	นกเขนน้อยไซบีเรีย	Common winter visitor, best looked for along naturetrail and gully trail
727	Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	นกเขนน้อยข้างสีส้ม	Small numbers most winter DYK
729	Oriental Magpie Robin	<i>Copsychus saularis</i>	นกยางเขนบ้าน	Common
730	White-rumped Shama	<i>Copsychus malabaricus</i>	นกยางเขนดง	Common, around temple and other areas of bamboo, often in garden
732	White-tailed Robin	<i>Myiomela leucura</i>	นกเขนสีฟ้าหางขาว	Recorded temple gully and naturetrail, uncommon
734	White-bellied Redstart	<i>Hodgsonius phaenicuroide</i>	นกเขนแปลง	All records from summit trails espically in area of bamboo, perhaps not uncommon
735	Blue-fronted Redstart	<i>Phoenicurus frontalis</i>	นกเขนสีฟ้าท้ายสีน้ำตาล	Rare winter visitor to DYK or higher
736	Daurian Redstart	<i>Phoenicurus aureus</i>	นกเขนท้องแดง	Occasional winter records DYK
737	Plumbeous Redstart	<i>Rhyacornis fuliginosus</i>	นกเขนเทาหางแดง	Like previous species odd records from stream at hot springs
738	River Chat	<i>Chaimarrornis leucocephala</i>	นกเขนหัวขาวท้ายแดง	Odd records from stream at hot springs
740	Black-backed Forktail	<i>Enicurus immaculatus</i>	นกยางเขนน้ำหลังดำ	The rarest of the forktails with just a handful of confirmed records
741	Slaty-backed Forktail	<i>Enicurus schistaceus</i>	นกยางเขนน้ำหลังเทา	Pair usually present on gully stream and checkpoint road
742	White-crowned Forktail	<i>Enicurus leschenaulti</i>	นกยางเขนน้ำหัวขาว	Commonest of the forktails, pairs usually present gully, checkpoint stream and stream alongside track up to DYK
744	Green Cochoa	<i>Cochoa viridis</i>	นกปีกแพรสีเขียว	One or two records from forest around temple
745	Eastern Stonechat	<i>Saxicola maurus</i>	นกยอดหญ้าหัวดำ	Common rice paddies and other fields in area
746	Pied Bushchat	<i>Saxicola caprata</i>	นกยอดหญ้าสีดำ, นกขี้นก	Common rice paddies and other fields in area
748	Grey Bushchat	<i>Saxicola ferrea</i>	นกยอดหญ้าสีเทา	Common DYK and higher parts of checkpoint road, occasional lower down
750	Chestnut-bellied Rock Thrush	<i>Monticola rufiventris</i>	นกกระเบื้องท้องแดง	Not uncommon in pines DYK, also recorded from higher altitudes along checkpoint road
751	Blue Rock Thrush	<i>Monticola solitarius</i>	นกกระเบื้องผา	Fairly common winter visitor, regular on bungalow roofs and building around temple
752	Blue Whistling Thrush	<i>Myophonus caeruleus</i>	นกเอี้ยงดำ	Fairly common, best looked for on track up to DYK shortly after dawn
754	Orange-headed Thrush	<i>Zoothera citrina</i>	นกเดินดงหัวสีส้ม	Occasional records from gully trail and naturetrail
755	Siberian Thrush	<i>Zoothera sibirica</i>	นกเดินดงสีเทาดำ	Passage migrant several records from DYK
757	Scaly Thrush	<i>Zoothera dauma</i>	นกเดินดงลายเสือ	Uncommon, best looked for along firebreak trail DYK
757	White's Thrush	<i>Zoothera aurea</i>	นกเดินดงลายเสือใหญ่	?
758	Dark-sided Thrush	<i>Zoothera marginata</i>	นกเดินดงเล็กปากยาว	A handful of records from gully trail and checkpoint gully
759	Black-breasted Thrush	<i>Turdus dissimilis</i>	นกเดินดงอกดำ	Recorded once or twice DYK
760	Grey-winged Blackbird	<i>Turdus boulboul</i>	นกเดินดงดำปีกเทา	One or two records DYK during cold season
761	Chinese Blackbird	<i>Turdus mandarinus</i>	นกเดินดงสีดำ	Odd records from DYK
762	Chestnut Thrush	<i>Turdus rubrocanus</i>	นกเดินดงสีน้ำตาลแดง	Odd records from DYK
763	Grey-sided Thrush	<i>Turdus feae</i>	นกเดินดงอกเทา	Odd records from DKY
764	Eyebrowed Thrush	<i>Turdus obscurus</i>	นกเดินดงสีคล้ำ	Winter visitor, records from DYK and temple, often in fruiting trees
766	Dusky Thrush	<i>Turdus eunomus</i>	นกเดินดงอกลายดำ	One record from firebreak trail DYK
770	Dark-sided Flycatcher	<i>Muscicapa sibirica</i>	นกจับแมลงสีคล้ำ	Passage migrant with several records from forest around temple
772	Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	นกจับแมลงสีน้ำตาล	Uncommon with records from temple and checkpoint road
775	Red-throated Flycatcher	<i>Ficedula albicilla</i>	นกจับแมลงคอแดง	Common winter visitor
776	Rufous-gorgeted Flycatcher	<i>Ficedula strophiate</i>	นกจับแมลงแถบคอสีส้ม	Scarce winter visitor DYK
777	Mugimaki Flycatcher	<i>Ficedula mugimaki</i>	นกจับแมลงดำอกสีส้ม	Recorded at least once in garden during winter

778	Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	นกจับแมลงตะโพกเหลือง	Uncommon passage migrant
780	White-gorgeted Flycatcher	<i>Ficedula monileger</i>	นกจับแมลงสร้อยคอขาว	Odd records DYK
783	Little Pied Flycatcher	<i>Ficedula westermanni</i>	นกจับแมลงเล็กขาวดำ	Fairly common DYK and higher altitudes along checkpoint road
784	Snowy-browed Flycatcher	<i>Ficedula hyperythra</i>	นกจับแมลงหน้าผากขาว	Odd records from higher altitudes
785	Slaty-backed Flycatcher	<i>Ficedula hodgsonii</i>	นกจับแมลงหลังสีเทา	Fairly common winter visitor in pines DYK
786	Ultramarine Flycatcher	<i>Ficedula superciliaris</i>	นกจับแมลงสีคราม	Scarce, recorded at least once DYK
787	Slaty-blue Flycatcher	<i>Ficedula tricolor</i>	นกจับแมลงหน้าดำคอขาว	Occasional records DYK
788	Sapphire Flycatcher	<i>Ficedula sapphira</i>	นกจับแมลงหัวสีฟ้า	Scarce visitor, all records DYK
789	Pygmy Blue Flycatcher	<i>Muscicapella hodgsoni</i>	นกจับแมลงสีฟ้าจิ๋ว	Rare, one or two records DYK
790	Grey-headed Flycatcher	<i>Culicicapa ceylonensis</i>	นกจับแมลงหัวเทา	Very common
791	Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>	นกจับแมลงสีฟ้าท้องขาว	Rare passage migrant
792	Large Niltava	<i>Niltava grandis</i>	นกนิลตวาใหญ่	Uncommon higher areas of mountain
793	Small Niltava	<i>Niltava macgrigoriae</i>	นกนิลตวาเล็ก	Uncommon higher altitudes
795	Rufous-bellied Niltava	<i>Niltava sundara</i>	นกนิลตวาท้องสีส้มคอดำ	Regularly recorded DYK
796	Vivid Niltava	<i>Niltava vivida</i>	นกนิลตวาท้องสีส้ม	?
797	Verditer Flycatcher	<i>Eumyias thalassinus</i>	นกจับแมลงสีฟ้า	Fairly common temple, DYK and checkpoint road
798	Pale Blue Flycatcher	<i>Cyornis unicolor</i>	นกจับแมลงสีฟ้าอ่อน	Uncommon, with records DYK and temple
800	Hainan Blue Flycatcher	<i>Cyornis hainanus</i>	นกจับแมลงอกสีฟ้า	Uncommon, records from checkpoint road and naturetrail
801	Blue-throated Flycatcher	<i>Cyornis rubeculoides</i>	นกจับแมลงคอสีน้ำเงินเข้	Uncommon
801	Chinese Blue Flycatcher	<i>Cyornis glaucicomans</i>	นกจับแมลงพันธุ์จีน	?
802	Hill Blue Flycatcher	<i>Cyornis banyumas</i>	นกจับแมลงคอน้ำตาลแดง	Commonest of blue and orange Flycatchers, common around temple
803	Tickell's Blue Flycatcher	<i>Cyornis tickelliae</i>	นกจับแมลงอกส้มท้องขาว	Scarce
804	Yellow-bellied Fantail	<i>Rhipidura hypoxantha</i>	นกอีแพรดท้องเหลือง	Scarce, with all records DYK or higher
805	White-throated Fantail	<i>Rhipidura albicollis</i>	นกอีแพรดคอขาว	Commonest fantail, regular temple, DYK and checkpoint road
809	Black-naped Monarch	<i>Hypothymis azurea</i>	นกจับแมลงจุกดำ	Common, often in mixed species flocks
813	Asian Paradise-flycatcher	<i>Terpsiphone paradisi</i>	นกเขี้ยวสวรรค์	Common, but scarce Dec-Feb when most birds leave area
815	Brown Shrike	<i>Lanius cristatus</i>	นกอีเสือสีน้ำตาล	Common winter visitor
816	Tiger Shrike	<i>Lanius tigrinus</i>	นกอีเสือลายเสือ	Passage migrant, odd records during September
817	Burmese Shrike	<i>Lanius colluriooides</i>	นกอีเสือหลังแดง	Winter visitor, commonest DYK, especially Feb/March
818	Grey-backed Shrike	<i>Lanius tephronotus</i>	นกอีเสือหลังเทา	Small numbers winter, easy to see around temple and DYK
819	Long-tailed Shrike	<i>Lanius schach</i>	นกอีเสือหัวดำ	Resident rice paddies
820	Ashy Woodswallow	<i>Artamus fuscus</i>	นกแอ่นพง	Common on roadside wires Chiang Dao
822	Spot-winged Starling	<i>Lamprotonis spilopterus</i>	นกกิ้งโครงปีกลายจุด	One record in garden at Malee's
823	Chestnut-tailed Starling	<i>Sturnia malabarica</i>	นกกิ้งโครงแกลบหัวเทา	Small flocks fairly common, best looked for in scrub around forest edge and rice paddies
829	Asian Pied Myna	<i>Gracupica contra</i>	นกเอี้ยงดำ	Occasional records from Chiang Dao
830	Black-collared Myna	<i>Gracupica nigricollis</i>	นกกิ้งโครงคอดำ	Common rice paddies
832	Common Myna	<i>Acridotheres tristis</i>	นกเอี้ยงสาริกา	Common village and town
834	White-vented Myna	<i>Acridotheres grandis</i>	นกเอี้ยงหงอน	Common village and town
835	Golden-crested Myna	<i>Ampeliceps coronatus</i>	นกเอี้ยงหัวสีทอง	At least two records from temple and along checkpoint road, both times in flowering trees
836	Hill Myna	<i>Gracula religiosa</i>	นกขุนทอง	Very few records, most from checkpoint road
840	Ruby-cheeked Sunbird	<i>Chalcoparia singalensis</i>	นกกินป्लीแก้มสีทับทิม	Fairly common temple, checkpoint road, less so DYK
841	Purple-naped Sunbird	<i>Hypogramma hypogrammi</i>	นกกินป्लीท้ายทอยน้ำเงิน	Regular temple, easily overlooked
844	Olive-backed Sunbird	<i>Cinnyris jugularis</i>	นกกินป्लीอกเหลือง	Very common
845	Purple Sunbird	<i>Cinnyris asiatica</i>	นกกินป्लीดำม่วง	Common temple and garden

846	Gould's Sunbird	<i>Aethopyga gouldiae</i>	นกกินปลีหางยาวคอสีฟ้า	Not uncommon winter visitor to Dyk and higher altitudes
848	Black-throated Sunbird	<i>Aethopyga saturata</i>	นกกินปลีหางยาวคอดำ	Commonest of Long-tailed sunbirds, with records from temple, Dyk and even garden
849	Crimson Sunbird	<i>Aethopyga siparaja</i>	นกกินปลีคอแดง	Most records from temple and garden, uncommon
852	Little Spiderhunter	<i>Arachnothera longirostra</i>	นกปลีกล้วยเล็ก	Common garden, temple and DYK
858	Streaked Spiderhunter	<i>Arachnothera magna</i>	นกปลีกล้วยลาย	Common temple, DYK and checkpoint road
862	Thick-billed Flowerpecker	<i>Dicaeum agile</i>	นกกาฝากปากหนา	Common
863	Yellow-vented Flowerpecker	<i>Dicaeum chrysorrheum</i>	นกกาฝากก้นเหลือง	Infrequently recorded temple, garden and DYK, probably not uncommon
866	Plain Flowerpecker	<i>Dicaeum concolor</i>	นกกาฝากสีเขียว	Common along checkpoint road and drier forests
867	Scarlet-backed Flowerpecker	<i>Dicaeum cruentatum</i>	นกสีชมพูสวน	Very common
868	Fire-breasted Flowerpecker	<i>Dicaeum ignipectum</i>	นกกาฝากอกเพลิง	Fairly common at higher altitudes
869	Chestnut-flanked White-eye	<i>Zosterops erythropleurus</i>	นกแว่นตาขาวข้างแดง	Fairly common DYK
870	Japanese White-eye	<i>Zosterops japonicus</i>	นกแว่นตาขาวหลังเขียว	Probably commonest of whiteeyes often big flocks DYK
871	Oriental White-eye	<i>Zosterops palpebrosus</i>	นกแว่นตาขาวสีทอง	Fairly common around garden and temple
873	Eurasian Tree Sparrow	<i>Passer montanus</i>	นกกระจอกบ้าน	Common village and town
874	Plain-backed Sparrow	<i>Passer flaveolus</i>	นกกระจอกตาล	Small numbers usually present rice paddies
875	Russet Sparrow	<i>Passer rutilans</i>	นกกระจอกป่าท้องเหลือง	Single record from DYK
877	Baya Weaver	<i>Ploceus philippinus</i>	นกกระจาบบรรณดา	Handful of records from rice paddies
881	Pin-tailed Parrotfinch	<i>Erythrura prasina</i>	นกกระดัดเขียว, นกไฟ	A handful of records in seeding bamboo along track up to DYK also noted coming into drink from pools along gully
883	White-rumped Munia	<i>Lonchura striata</i>	นกกระดัดตะโพกขาว	Common
885	Scaly-breasted Munia	<i>Lonchura punctulata</i>	นกกระดัดขี้หมู	Common
890	Common Rosefinch	<i>Carpodacus erythrinus</i>	นกจาบปีกอ่อนสีทูลาบ	Small flocks regularly reported DYK and from area lower down
892	Scarlet Finch	<i>Haematospiza sipahi</i>	นกจาบปีกอ่อนสีแดง	Handful of records DYK, first 500m along summit trail here best area
895	Spot-winged Grosbeak	<i>Mycerobas melanozanthos</i>	นกกระดัดใหญ่ปีกลาย	Infrequently recorded DYK, usually early morning when birds perched in dead trees
897	Chestnut-eared Bunting	<i>Emberiza fucata</i>	นกจาบปีกอ่อนหัวเทา	One record from along higher parts of checkpoint road
898	Little Bunting	<i>Emberiza pusilla</i>	นกจาบปีกอ่อนเล็ก	Recorded at least once DYK
899	Yellow-breasted Bunting	<i>Emberiza aureola</i>	นกจาบปีกอ่อนอกเหลือง	odd records from around the area, becoming increasingly scarce in Thailand
901	Chestnut Bunting	<i>Emberiza rutila</i>	นกจาบปีกอ่อนสีตาล	Fairly common DYK in grass under trees, also records from temple area and along checkpoint road
903	Crested Bunting	<i>Emberiza lathamii</i>	นกจาบปีกอ่อนหงอน	Handful of records from scrub/forest edge in area
	Buff-bellied Pipit	<i>Anthus rubescens</i>	นกเต้าดินพันธุไชบีเรีย	Very few Thai records, reported once from rice paddies